ANTI-IMPACT GLOVE

Utilizing Visco-Elastic Polymer (VEP) Padding Protects the palm from Impact and Shock

- Made of 4-way stretch polycotton fabric to ensure optimum breathability and comfort
- > Contoured VEP 1/8" padding in the palm
- Fingerless style leaves fingers open for tactile feedback and mobility
- > Designed to be worn under work glove
- Great for protection from electric, manual and power tools in applications including construction, assembly, manufacturing, maintenance and warehousing









IMPACTO anti-impact gloves utilize Visco-Elastic Polymer (VEP) padding. VEP has excellent impact absorbing and shock dissipation qualities as well as absorption of higher levels of vibration. VEP is made from polyurethane with additional chemicals that increase its viscosity level. It is effective in redistributing and reducing local pressure on the area padded. VEP will not "compression set", making it extremely durable to stand to rigorous repetitive tasks. IMPACTO offers a large line of VEP padded gloves to suit customized needs.





C EEN 388:2003

EN 420:2003+A1:2009

Sizing: Measure the circumference of the hand at the base of fingers.

Washing: Hand wash in cold water and soft detergent. Do not bleach, do not dry by machine, do not dry clean.

Supertouch Code	Glove	Hand	Circumference
IM5011	Small	7	7" - 8" / 18-20 cm
IM5012	Medium	8	8" - 9" / 20-23 cm
IM5013	Large	9	9" - 10" / 23-28 cm
IM5014	X-Large	10	10" - 11" / 28-33 cm



SUPERTOUCH®

WWW.SUPERTOUCH.COM

Tel: 0345 130 9922 Email: sales@supertouch.com