

Technical Specification

Pawā® PG620 (PG62011-5)

Chemical Gloves



Sizes Available: Small / Medium / Large / XLarge / 2XL

Per Bag: 1 Pair per Retail Bag

Per Carton: 72x Pairs

Glove Details:

Our PAWA PG620 is extremely lightweight for ultimate dexterity and comfort, featuring a triple dipped PVC & Nitrile coating. The nitrile grip layer makes handling oily objects simple whilst also proving contact heat level 1 protection. These gloves are the perfect choice to protect wearers hands without compromising on performance.

Selected Features:

- Pawā®DRY™ Oil Repellent Triple PVC & Nitrile Coating
- Pawā®GRIP™ Enhanced foam grip for oily environments
- Silvadur™ treated cotton liner improves hygiene and neutralises odour-creating bacteria
- 18 gauge liner for ultimate dexterity
- Cat III Complex Design
- Length of 30 cm ensures enhanced protection
- Conforms to EN 388:2016
- Conforms to EN 374-1:2016 Type B
- Conforms to EN 374-5:2016
- Conforms to EN 407:2020 Levels X-1-X-X-X-X
- Anatomically formed to reduce hand fatigue
- Cuff can be partially reverse to prevent roll-back of liquids
- Food Contact Approved



Glove Benefits:

- Excellent Grip
- Water-Repellency
- Oil-Resistant
- Bacteria & Fungi
- Contact Heat Resistance
- Food Safe

Glove Standards & Conformity:

EN388:2016 3-1-2-1-X	EN407:2020 X-1-X-X-X-X
3 Abrasion	X Burning Behaviour
1 Blade Cut	1 Contact Heat
2 Tear	X Convective Heat
1 Puncture	X Radiant Heat
X ISO Cut	X Small Splashes
	X Large Splashes

	EN ISO 374-1:2016+A1:2018	Levels	Degradation
J	n-Heptane	2	-16.0%
K	40% Sodium Hydroxide	5	-8.0%
L	96% Sulphuric Acid	2	-4.9%



CAT III Complex Design

PPE Regulation (EU) 2016/425 applies

Technical Specification

Pawā® PG620 (PG62011-5)

Chemical Gloves



Glove Technologies:

PawāGRIP™

Using advanced or textured finishes, grip has been enhanced to cope with demanding work environments.

PawāDRY™

Dual layered coating providing effective repellence to oils and water safeguarding wearer hand health.



Glove Applications:

Industry

Chemical, Pharmaceutical, Oil & Gas, Automotive, Manufacturing, Metal processing, Construction, Municipal Services.

Tasks

Cleaning, chemical handling, wet handling tasks, food handling.

Glove Materials:

Liner:	18G Nylon Liner
Coating:	PVC & NBR Triple Coating

The information supplied in our literature or given by our employees is based upon extensive knowledge and experience. This information, together with that supplied by our agents or distributors, is given in good faith in order to help you. Our Company policy is one of continuous Research and Development; we therefore reserve the right to update this information at any time without prior notice. We also guarantee the consistent high quality of our products; however, as we have no control over site conditions or the execution of the work, we accept no liability for any loss or damage which may arise as a result thereof. Any existing intellectual property right must be observed. Supertouch's standard terms and conditions apply.

Product Codes:

Code	Size	Colour
PG62011	Small	
PG62012	Medium	
PG62013	Large	
PG62014	XLarge	
PG62015	2XLarge	

"Pawā" and "Supertouch" are registered trademarks of:
Allied International Trading Ltd
Unit 3 Rabone Park, Rabone Lane
Smethwick, West Midlands, B66 2NN